ARCHIVES

DE

ZOOLOGIE EXPÉRIMENTALE

ET GÉNÉRALE

ARCHIVES DE ZOOLOGIE EXPÉRIMENTALE ET GÉNÉRALE

VOLUME 115 — CONTENTS

Number 1

BOUCAUD-CAMOU E. — Localisation of enzymatic activities implicated in digestive processes of Sepia officinalis. GUILLAUMIN M. — A study of the mechanisms of speciation in two groups of species of the genus Pyrgus Hbn., by means of biometrical and ecological analysis of natural populations. SEUGE J., M. VUILLAUME and J. BERGERARD. — Integumentar pigment and diapause in Pieris brassicae: sensibilities of the different instars to variations of photophases and wave lengths. GINSBURGER-VOGEL T. — Genetic of sex determination, monogeny and intersexuality in Orchestia gammarella (Crustacea, Amphipoda, Talitridae). II. Studies on relations between monogeny and intersexuality Influence of temperature. CARTON Y. and L. LAUBIER. — Description of Selioides guineensis, n. sp. a new Copepod parasitic on Aphroditidae BOURY-ESNAULT N. — Structural and ultrastructural studies on the papillae of the sponges Polymastia Bowerbank	5 29 77 93 129 141
Number 2	
Boissin L. — Electron microscope study on spermiogenesis in Garypus	
beauvoisi (Sav.) (Arachnida, Pseudoscorpions)	169
during the development of Drosophila pseudoobscura	185
Bocquet-Védrine J. — Chronology of development in Crinoniscus equitans Pérez (Cryptoniscian Isopod)	197
IBANEZ F., DUCRET F. et DALLOT S. — Comparisons between biometrical classifications of Sagitta bedfordii, S. regularis and S. neglecta	205
BLANDIN P. et JEANNOT G. — Polytypism and polymorphism in Morpho telemachus Linné, 1758 (Lepidoptera, Nymphalidae)	229
ROUSSEL JP. et PERRON JM. — Effect of juvenil hormone mimics on Schistocerca gregaria Forsk	251
DAVID J., BIÉMONT C. et FOUILLET P Life time egg production curses in	
Drosophila melanogaster and their adjustment to mathematical models Damas D. — Histological and histochemical study of the salivary glands	263
of the medical leech, Hirudo medicinalis (Hirudinea, Gnathobdellidae) COMBAZ A. — On the function of the nerve cord in caudal regeneration of	279
Nereidae (Annelidae, Polychaetes)	293

Number 3

Rezig, M. — On the presence of Sphaeroma marginatum (Milne Edwards) Isopoda Flabellifera) in Tunisia. Description and systematic discussion	323
Alouzaz, M. — Stage of the embryonary development of Leucophaea maderae Fabr. (Insecta, Dictyoptera)	343
HIPEAU-JACQUOTTE, R. — A study on the pontoniinid shrimps (Palaemonidae) associated with the Pinnadae molluses at Tuléar (Madagascar) RAZOULS, S. — Sexual maturity and fecundy in <i>Temora stylifera</i> female,	359
C. pelagia Copepod David, J., P. Fouillet et M.F. Arens. — Comparison of the tolerance to	387
ethanol of the six species of the melanogaster subgroup of Drosophila Gharagozlou-Van Ginneren, I.D. — On the ultrastructure of the cuticle of	401
a Harpacticid Copepod Crustacea, Tisbe holothuriae	411
regeneration on the premolt process	423
of Drosophile melanogaster Legrand, J.J. et P. Jucrault. — Contribution to the study of sex genetics in Oniscoidea. Analysis of the crosses between two species of Porcellio dilatus Brandt, one with male heterogamety the other with female	489
heterogamety	441
Number 4	
Guillaumin, M. and J. Lefebvre. — Biometrical study of populations of <i>Pyrgus carlinae</i> Rbr. and <i>Pyrgus cirsii</i> Rbr. (Lep. Hesperiidae). Analysis and classification of natural populations by mean of Mahalanobis D.	
	505
Pyrgus carlinae Rbr. and Pyrgus cirsii Rbr. (Lep. Hesperiidae). Analysis and classification of natural populations by mean of Mahalanobis D ₂ method	549
Pyrgus carlinae Rbr. and Pyrgus cirsii Rbr. (Lep. Hesperiidae). Analysis and classification of natural populations by mean of Mahalanobis D ₂ method Dinet, A. — New species of Copepoda Harpacticoidea (Crustacea) in deepsea sediments off South West Africa D'Hondy, JL. — Larval metamorphosis and forming of the phase «cystide» of Alcyonidium polyoum (Hassal, 1841), Ctenostomatous Bryozoa. Baccari, S. et J. Renaud-Mornant. — Anatomy of the digestive tract of Derocheilocaris remanei Delamare et Chappuis, 1951 (Crustacea, Mysta-	
Pyrgus carlinae Rbr. and Pyrgus cirsii Rbr. (Lep. Hesperiidae). Analysis and classification of natural populations by mean of Mahalanobis D ₂ method	549
Pyrgus carlinae Rbr. and Pyrgus cirsii Rbr. (Lep. Hesperiidae). Analysis and classification of natural populations by mean of Mahalanobis D ₂ method Dinet, A. — New species of Copepoda Harpacticoidea (Crustacea) in deepsea sediments off South West Africa D'Hondt, JL. — Larval metamorphosis and forming of the phase «cystide» of Alcyonidium polyoum (Hassal, 1841), Ctenostomatous Bryozoa. Baccari, S. et J. Renaud-Mornant. — Anatomy of the digestive tract of Derocheilocaris remanei Delamare et Chappuis, 1951 (Crustacea, Mystacocarida) Bayon, C. and R. Martoja. — Histological data on mineral and puric concretions in Coleoptera. II. Mea-eating species: Ablattaria laevigata, Silphaobscura (Silphidae), Agabus bipustulatus (Dytiscidae), Adailia bipunctata (Coccinellidae) Clément, P. and R. Pourriot. — Photoperiodism and heterogonic cycle in	549577607621
Pyrgus carlinae Rbr. and Pyrgus cirsii Rbr. (Lep. Hesperiidae). Analysis and classification of natural populations by mean of Mahalanobis D ₂ method DINET, A. — New species of Copepoda Harpacticoidea (Crustacea) in deepsea sediments off South West Africa D'Hondt, JL. — Larval metamorphosis and forming of the phase «cystide» of Alcyonidium polyoum (Hassal, 1841), Ctenostomatous Bryozoa. BACCARI, S. et J. RENAUD-MORNANT. — Anatomy of the digestive tract of Derocheilocaris remanei Delamare et Chappuis, 1951 (Crustacea, Mystacocarida) BAYON, C. and R. Martoja. — Histological data on mineral and puric concretions in Coleoptera. II. Mea-eating species: Ablattaria laevigata, Silpha obscura (Silphidae), Agabus bipustulatus (Dytiscidae), Adailia bipunctata (Coccinellidae) CLÉMENT, P. and R. Pourriot. — Photoperiodism and heterogonic cycle in Notommata copeus (Rotifera). III. Illumination thrshbold VITIELLA, P. Discussion on the systematic of Nematodes Araeolaimida and	549577607621641
Pyrgus carlinae Rbr. and Pyrgus cirsii Rbr. (Lep. Hesperiidae). Analysis and classification of natural populations by mean of Mahalanobis D ₂ method Dinet, A. — New species of Copepoda Harpacticoidea (Crustacea) in deepsea sediments off South West Africa D'Hondt, JL. — Larval metamorphosis and forming of the phase «cystide» of Alcyonidium polyoum (Hassal, 1841), Ctenostomatous Bryozoa. Baccari, S. et J. Renaud-Mornant. — Anatomy of the digestive tract of Derocheilocaris remanei Delamare et Chappuis, 1951 (Crustacea, Mystacocarida) Bayon, C. and R. Martoja. — Histological data on mineral and puric concretions in Coleoptera. II. Mea-eating species: Ablattaria laevigata, Silpha obscura (Silphidae), Agabus bipustulatus (Dytiscidae), Adailia bipunctata (Coccinellidae) Clément, P. and R. Pourriot. — Photoperiodism and heterogonic cycle in Notommata copeus (Rotifera). III. Illumination thrshbold VITIELLA, P. Discussion on the systematic of Nematodes Araeolaimida and descripion of some new species Guillet, C. — Adenylic nucleotids in Drosophila melanogaster during me-	549577607621641651
Pyrgus carlinae Rbr. and Pyrgus cirsii Rbr. (Lep. Hesperiidae). Analysis and classification of natural populations by mean of Mahalanobis D ₂ method DINET, A. — New species of Copepoda Harpacticoidea (Crustacea) in deepsea sediments off South West Africa D'HONDT, JL. — Larval metamorphosis and forming of the phase «cystide» of Alcyonidium polyoum (Hassal, 1841), Ctenostomatous Bryozoa. BACCARI, S. et J. Renaud-Mornant. — Anatomy of the digestive tract of Derocheilocaris remanei Delamare et Chappuis, 1951 (Crustacea, Mystacocarida) BAYON, C. and R. Martoja. — Histological data on mineral and puric concretions in Coleoptera. II. Mea-eating species: Ablattaria laevigata, Silpha obscura (Silphidae), Agabus bipustulatus (Dytiscidae), Adailia bipunctata (Coccinellidae) CLÉMENT, P. and R. POURRIOT. — Photoperiodism and heterogonic cycle in Notommata copeus (Rotifera). III. Illumination thrshbold VITIELLA, P. Discussion on the systematic of Nematodes Araeolaimida and descripion of some new species	549577607621641

ARCHIVES DE ZOOLOGIE EXPÉRIMENTALE ET GÉNÉRALE

TABLE DES MATIÈRES DU VOLUME 115

Fascicule 1 paru le 15 avril 1974

Boucaude Camou, E. — Localisation d'activités enzymatiques impliquées dans la digestion chez Sepia officinalis L	5
periidae) par l'analyse biométrique et écologique des populations naturelles SEUGE, J., M. VUILLAUME et J. BERGERARD. — Pigment tégumentaire, photoréception et diapause chez <i>Pieris brassicae</i> : recherche de la sensibilité	29
de chacun des stades larvaires aux variations photopériodiques et photo- niques	77
Influence de la température	93
Carton, Y. et L. Laubier. — Description de Selioides guineensis sp. n., Copépode cyclopoide parasite d'Aphroditidae	129
genre Polymastia Bowerbank	141
Fascicule 2	
paru le 15 juillet 1974	
Boissin L. — Etude ultrastructurale de la spermiogenèse de Garypus beau- voisi (Say.) (Arachnides, Pseudoscorpions)	169
PASTEUR, N. et C.D. KASTRITSIS. — Changement d'activité de quelques enzymes au cours du développement de Drosophila pseudoobscura	185
BOQUET-VÉDRINE, J. — Chronologie du développement chez Crinoniscus equitans Pérez (Isopode Cryptoniscien)	197
IBANEZ, F., F. DUCRET et S. DALLOT. — Comparaisons de classifications bio- métriques relatives à Sagitta regularis, Sagitta bedfordii et Sagitta	
neglecta	205
telemachus Linné, 1758 (Lepidoptera, Nymphalidae)	229
mone juvénile sur Schistocerca gregaria Forsk	251
David, J., Biemont, C. et P. Fouillet. — Sur la forme des courbes de ponte de Drosophila melanogaster et leur ajustement à des modèles mathé-	0.00
matiques	263
la sangsue médicinale, Hirudo medicinalis (Hirudinée, Gnathobdelle) Combaz, A. — Sur le rôle de la chaîne nerveuse dans la régénération	279
caudale des Nereidae (Annélides Polychètes)	293

Fascicule 3 paru le 15 octobre 1974

Rezig, M. — Sur la présence de Sphaeroma marginatum (Milne Edwards) (Isopode Flabellifère) en Tunisie. Description et discussion systéma-	
tique	323
AIOUAZ, M. — Chronologie du développement embryonnaire de Leucophaea	949
maderae Fabr. (Insecte Dictyoptère)	343
associées aux Mollusques Pinnidae à Tuléar (Madagascar)	359
stulifera, Copépode pélagique (Copepoda Calanoidea)	387
Davin, J., P. Fouillet et M.F. Arens. — Comparaison de la sensibilité à l'alcool éthylique des six espèces de <i>Drosophila</i> du sous-groupe melano-	
gaster	401
Crustacé Copépode Harpacticide, Tisbe holothuriae, Humes	411
TCHERNIGOVIZEFF, C. — Régénération et cycle d'intermue chez le Crabe	
Gecarcinus lateralis. II. Situation du moment critique. Incidence d'une régénération tardive sur le cours de la prémue	423
LEGRAND, J.J. et P. JUCHAULT. — Contribution à l'étude de la génétique du	
sexe chez les Oniscoïdes. Analyse des croisements entre deux sous- espèces de <i>Porcellio dilatatus</i> Brandt, l'une à hétérogamétie mâle, l'autre	
à hétérogamétie femelle	441
DAVID, J. et C. Bocquet. — Nouvelles particularités génétiques des souches	400
japonaises de Drosophila melanogaster	489
Fascicule 4	
paru le 15 décembre 1974	
GUILLAUMIN, M. et J. LEFEBVRE. — Etude biométrique des populations de	
Pyrgus carlinae Rbr. et Pyrgus cirsii Rbr. (Lepd. Hesperiidae). II. Utilisation du D ² de Mahalanobis dans l'analyse et la classification	
des populations naturelles	505
DINET, A. — Espèces nouvelles de Copépodes Harpacticoïdes (Crustacea)	
des sédiments profonds de la dorsale de Walvis	549
chez Alcyonidium polyoum (Hassall, 1841), Bryozoaire Cténostome	577
BACCARI, S. et J. RENAUD-MORNANT. — Anatomie du tube digestif de Dero- cheilocaris remanei. Delamare et Chappuis, 1951 (Crustacé, Mysta-	
cocaride)	607
de métaux et de déchets puriques des Coléopères. II. Espèces à régime	
carné : Ablattaria laevigata, Silpha obscura (Silphidae); Agabus bipus-	004
tulatus (Dystiscidae); Adalia bipunctata (Coccinellidae)	621
chez Notommata copeus (Rotifère). III. Recherche du seuil minimal	
d'éclairement	641
VITIELLO, P. — Considérations sur la systématique des Nématodes Araeo-	641 651
VITIELLO, P. — Considérations sur la systématique des Nématodes Araeo- laimida et description d'espèces nouvelles ou peu connues	651
VITIELLO, P. — Considérations sur la systématique des Nématodes Araeo- laimida et description d'espèces nouvelles ou peu connues	